





Website: <https://www.tjhonest.com/>  
 Add: SINO-OCEAN INTERNATIONAL CENTER, NO.40, HUACHANG ROAD, HEDONG DISTRICT TIANJIN, CHINA.  
 Mobile: 0086-13312068990  
 Email: sales@tjhonest.com  
 Att: Selina Huo

### Main hot sale products

No.	Picture	Led(can customized)	Function	Battery	weight & size	EXW Price(without battery and charger)
H2	 <p>Best 007 Optical lens 18650 battery</p>	CREE XML-T6 led	1.Attack light head 2.Zoomable 3.5 lights modes 4.800-1000lumens 5.Rechargeable 6.Water proof-IP65 7.Explosion proof 8.Flame proof 9.With clip	1*18650	97g long:129mm Head dia:32mm Tail dia:23mm	\$3.04
H5	 <p>AUKELLY FC CE</p>	Cree XPE	1.Attack light head 2.Zoomable 3.3 lights modes 4.300-500lumens 5.Rechargeable 6.Water proof-IP65 7.Explosion proof 8.Flame proof 9.With clip	1*14500/1*AA	76g long:104mm Head dia:30mm Tail dia:20mm	\$3.42
H8	 <p>AUKELLY FC CE</p>	CREE XML-T6 led (can be L2)	Best sale one 1.Attack light head 2.Zoomable 3.5 lights modes 4.max 1000 lumens 5.Rechargeable 6.Water proof-IP66 7.Explosion proof 8.Flame proof 9.With tail-rope	1*18650/1*AA A	150g long:138mm Head dia:39mm Tail dia:26mm	\$3.16

H9		CREE XML-T6 led	USB charging 1.Attack light head 2.Durable Aircraft-grade Aluminum 3.Zoomable 4.5 lights modes 5.max 1000 lumens 6.Rechargeable 7.Water proof-IP66 8.Explosion proof 9.Flame proof 10.With tail-rope	1*18650/3*AA A	150g long:170mm Head dia:32mm Tail dia:25mm	\$3.20
----	---	-----------------	--	-------------------	--	--------

H10	 keyring flashlight	Cree XPE	<ol style="list-style-type: none"> <li>1.Super mini keyring keychain</li> <li>2.With black gift box</li> <li>3.Durable aluminum alloy</li> <li>4.Simple style</li> <li>5.Supper bright</li> </ol>	1*AA	50g long:95mm Head dia:20mm	\$1.20
H11	 Hotel emergency light	CREE XML-T6 led	<ol style="list-style-type: none"> <li>1.Wall-mounted</li> <li>2.Design specially for hotel use rechargeable</li> <li>3.13 LED lights, more brightness</li> <li>4.Switch-on/off system</li> <li>-light is on when lift from wall bracket</li> <li>-light is off when place back on the holder</li> <li>5.Non-slip handle</li> <li>6.USB charger</li> <li>7.Alluminum+plastic</li> </ol>	3*NI-MH battery USB charger /3*AA	350g long:171mm Head dia:51mm	\$5.28
H15	 Telescopic adjustable focus Hard light Long range	Cree XML T6 LED	<ol style="list-style-type: none"> <li>1.Telescopic adjustable focus</li> <li>2.modes:High/Mid/Low/Strobe/SOS</li> <li>3.800lumens</li> <li>4.Aluminum alloy</li> <li>5.Working voltage: 3.7V</li> <li>6.Color temperature: 6000k</li> <li>7.Aluminum attack head</li> <li>8.Switch: pressing rubber switch</li> <li>9.1000lumens</li> <li>10.Lens: convex lens</li> </ol>	18650/3AAA	132g 136*33*28mm	\$3.20
H20	 AUXKELLY FE CE	Cree XML T6 LED	<ol style="list-style-type: none"> <li>1.Lighting Period (h): &gt;12</li> <li>2.IP Rating: IP66</li> <li>3.Warranty(Year): 1</li> <li>4.Light modes: High/Mid/Low/Strobe/SOS</li> <li>5.Power: 10W</li> <li>6.LED: XML-T6</li> <li>7.Irradiation Range: 350m</li> <li>8.Charger configuration: desktop charger</li> <li>9.OEM/ODM Order: LOGO Printing Available</li> <li>10.Hidden attack hammer</li> </ol>	Battery Type: 1*18650/3*AA A	Weight:145g Size:165*37mm	\$3.68
H25	 AUXKELLY FE CE	Cree XML T6 LED	<ol style="list-style-type: none"> <li>1.Switch: pressing rubber switch in the center</li> <li>2.Brightness:1000lumens</li> <li>3.Material: aluminum alloy</li> <li>4.Working voltage: 3.7V</li> <li>5.Hard anodized surface</li> <li>6.Attack head to defend oneself</li> <li>fin-type heat dissipation groove</li> <li>7.With tail rope</li> <li>8.Charge directly in the medium</li> <li>9.Twined knife</li> <li>10.Warning light: glint and alarm song when press the switch(POLICE) in the tail</li> </ol>	18650	181g 186*34mm	\$7.04

H39		Cree XPE	<ol style="list-style-type: none"> <li>1.Light source: imported LED</li> <li>2.Charging time: 90-120mins</li> <li>3.Battery capacity: 270-280mA</li> <li>4.Material: stainless steel</li> <li>5.Battery: built-in lithium battery</li> <li>6.Working time: 2-3h</li> <li>7.charging-indicator light on; full 8.charged-indicator light off</li> <li>9.Brightness: 40-50 lumens</li> <li>10.Charge: usb charge in the bottom</li> </ol>	USB	13cm*1.3cm	\$2.24
H42		3 led	<ol style="list-style-type: none"> <li>1.Material:High quality aerospace aluminum alloy</li> <li>2.Lamp: 3 led</li> <li>3.Brightness:1000-1300</li> <li>4.Light Color:White</li> <li>5.Range:200-500 meters</li> <li>6.Applicable Battery: 4 * LR44</li> <li>7.Switch:Side on/off button switch</li> <li>8.Power: 0.3W</li> <li>9.Pick-up Weight: 2kg</li> </ol>	4*LR44	93kg 170-560*21mm (Head diameter)	\$2.16
H45		CREE XML T6	<ol style="list-style-type: none"> <li>1.remote switch</li> <li>2.5 models: High/mid/low/strobe/sos light</li> <li>3.Surface treatment: Anodic oxidation</li> <li>4. Adjustable focus(zoomable)</li> <li>5.remove the battery to charge</li> <li>6.Size: 19.5cm*3.5cm</li> <li>7.Material: Aluminum alloy</li> <li>8.lens: optical convex lens</li> <li>9.Led:CREE XM-L T6</li> <li>10.Brightness:1000lumens</li> </ol>	2*18650	19.5cm*3.5cm	\$4.29
H46		CREE XML T6	<ol style="list-style-type: none"> <li>1.Material: Aluminum alloy</li> <li>3.Modes: High-mid-low-Strobe-SOS-COB on</li> <li>6.Working voltage: 3.7-4.2V</li> <li>8.Lumen: 2000lumens</li> <li>9.Runtime: 3-6h(depends on the mode you choose)</li> <li>10.Charge time: 4h(charge directly)</li> <li>11.Working distance: 300m</li> <li>12.Water-resistant: IP67</li> <li>13.Button: Press button</li> <li>14.Magnet on the bottom for easy use at work</li> </ol>	1*18650/3*AAA A	130g 148+32mm*28*38 mm	\$3.68
H68			<p>Material: aluminum alloy Wavelength: 395NM Battery: 3*AAA (not included) Packing: 1* UV FLASHLIGHT ,1*White box</p>	3*AAA	Stent size: 85mm*24mm*24 mm weight:30g	\$1.87



**All products are not include batteries,  
gift packing (need add extra 2USD) include:  
green box include flashlight, battery and charger)  
Product package as the shown**